

ENGINEERING STARTS AT HOME

Extract DNA from Strawberries



UL J.B. SPEED SCHOOL OF ENGINEERING

MATERIALS

- Three strawberries
- Measuring cup
- Measuring spoons
- Salt
- Water
- Dishwashing liquid (for hand-washing dishes)
- Glass or small bowl
- Funnel
- Tall drinking glass
- Rubbing alcohol
- Resealable plastic sandwich bag
- Small glass jar (such as a spice or baby food jar)
- Cheesecloth
- Bamboo skewer, available at most grocery stores. (If you use a baby food or short spice jar, you could substitute a toothpick for the skewer.)

PREPARATION

- Chill the rubbing alcohol in the freezer. (You'll need it later.)
- Mix 1/2 teaspoon of salt, 1/3 cup of water and one tablespoon of dishwashing liquid in a glass or small bowl. Set the mixture aside. This is your extraction liquid.
Why do you think there is detergent in the extraction liquid?
- Completely line the funnel with cheesecloth. Insert the funnel tube into the tall drinking glass (not the glass with the extraction liquid in it).
- Remove and discard the green tops from the strawberries.

PROCEDURE

- Put the strawberries into a resealable plastic sandwich bag and push out all of the extra air. Seal the bag tightly.
- With your fingers, squeeze and smash the strawberries for two minutes. **How do the smashed strawberries look?**
- Add three tablespoons of the extraction liquid you prepared to the strawberries in the bag. Push out all of the extra air and reseal the bag. **How do you think the detergent and salt will affect the strawberry cells?**
- Squeeze the strawberry mixture with your fingers for one minute.
How do the smashed strawberries look now?
- Pour the strawberry mixture from the bag into the funnel. Let it drip through the cheesecloth and into the tall glass until there is very little liquid left in the funnel (only wet pulp remains).
How does the filtered strawberry liquid look?
- Pour the filtered strawberry liquid from the tall glass into the small glass jar so that the jar is 1/4 full.
- Measure out 1/2 cup of cold rubbing alcohol.
- Tilt the jar and very slowly pour the alcohol down its side. Pour until the alcohol has formed approximately a one-inch-deep layer on top of the strawberry liquid. You may not need all of the 1/2 cup of alcohol to form the one-inch layer. Do not let the strawberry liquid and alcohol mix.
- Study the mixture inside of the jar. The strawberry DNA will appear as gooey clear/white stringy stuff. **Do you see anything in the jar that might be strawberry DNA? If so, where in the jar is it?**
- Dip the bamboo skewer into the jar where the strawberry liquid and alcohol layers meet and then pull up the skewer. **Did you see anything stick to the skewer that might be DNA? Can you spool any DNA onto the skewer?**

Continue on the next page.



UNIVERSITY OF LOUISVILLE

J.B. SPEED SCHOOL OF ENGINEERING

ENGINEERING STARTS AT HOME

Extract DNA from Strawberries



UL J.B. SPEED SCHOOL OF ENGINEERING

- Extra: You can try using this DNA extraction activity on lots of other things. Grab some oatmeal or kiwis from the kitchen and try it again! ***Which foods give you the most DNA?***
- Extra: If you have access to a milligram scale (called a balance), you can measure how much DNA you get (called a yield). Just weigh your clean bamboo skewer and then weigh the skewer again after you have used it to fish out as much DNA as you could from your strawberry DNA extraction. Subtract the initial weight of the skewer from its weight with the DNA to get your final yield of DNA. ***What was the weight of your DNA yield?***
- Extra: Try to tweak different variables in this activity to see how you could change your strawberry DNA yield. For example, you could try starting with different amounts of strawberries, using different detergents or different DNA sources (such as oatmeal or kiwis). ***Which conditions give you the best DNA yield?***

OBSERVATIONS AND RESULTS

Were you able to see DNA in the small jar when you added the cold rubbing alcohol?

Was the DNA mostly in the layer with the alcohol and between the layers of alcohol and strawberry liquid?

When you added the salt and detergent mixture to the smashed strawberries, the detergent helped lyse (pop open) the strawberry cells, releasing the DNA into solution, whereas the salt helped create an environment where the different DNA strands could gather and clump, making it easier for you to see them. (When you added the salt and detergent mixture, you probably mostly just saw more bubbles form in the bag because of the detergent.)

After you added the cold rubbing alcohol to the filtered strawberry liquid, the alcohol should have precipitated the DNA out of the liquid while the rest of the liquid remained in solution. You should have seen the white/clear gooey DNA strands in the alcohol layer as well as between the two layers. A single strand of DNA is extremely tiny, too tiny to see with the naked eye, but because the DNA clumped in this activity you were able to see just how much of it three strawberries have when all of their octoploid cells are combined! ("Octoploid" means they have eight genomes.)

Learn more about outreach programs online at engineering.louisville.edu/outreach



Annie Fitzpatrick Jones
Outreach Team Coordinator
annie.jones@louisville.edu



UNIVERSITY OF LOUISVILLE

J.B. SPEED SCHOOL OF ENGINEERING